



SHINANO

Quality Japanese Air Tools

OCTOBER 2015 - FEBRUARY 2016

2015 FACTORY SPECIALS!

All prices include GST.

RATCHET WRENCHES

3/8" Super Mini Ratchet

Length: 125 mm
Max Torque: 22 Ft/lbs
Free Speed: 300 RPM
Weight: 0.40 kg



SI1108B

\$220.00



1/4" Mini Ratchet Wrench

Length: 168 mm
Max Torque: 26 Ft/lbs
Free Speed: 200 RPM
Weight: 0.51 kg

SI1200B

\$219.00



3/8" Ratchet Wrench

Length: 265 mm
Max Torque: 59 Ft/lbs
Free Speed: 160 RPM
Weight: 1.16 kg

SI1320A

\$179.00

3/8" Mini Ratchet Wrench

Length: 168 mm
Max Torque: 30 Ft/lbs
Free Speed: 220 RPM
Weight: 0.51 kg

SI1205B

\$219.00

1/2" Ratchet Wrench

Length: 265 mm
Max Torque: 66 Ft/lbs
Free Speed: 160 RPM
Weight: 1.17 kg

SI1325A

\$179.00

1/2" Ratchet Wrench

Length: 263 mm
Max Torque: 85 Ft/lbs
Free Speed: 160 RPM
Weight: 1.15 kg



SI1345B

\$239.00

1/2" Heavy Duty Wrench Ratchet

Length: 368 mm
Max Torque: 118 Ft/lbs
Free Speed: 140 RPM
Weight: 1.95 kg



SI1435

\$425.00

BELT SANDERS

10 mm Belt Sander

- 160° adjustable sanding arm
 - Includes 6, 10 mm sanding belts
 - Includes in-line air regulator for quick speed adjustments
- Belt Size: 330 x 10 or 12 mm
Free Speed: 15,000 RPM
Weight: 0.73 kg



SI2740

\$360.00

**LIGHT WEIGHT
COMPOSITE
CONSTRUCTION**



SI2800

\$499.00

20 mm Belt Sander
Belt Size: 520 x 20 mm
Free Speed: 15,000 RPM
Weight: 1.43 kg



SI2830

\$699.00

30 mm Belt Sander
Belt Size: 540 x 30 mm
Free Speed: 10,000 RPM
Weight: 2.02 kg

New Range

SHINANO
INDUSTRIAL TOOLS

Die Grinders
Angle Grinders
Edge Cutters

Introducing a new range of specialized pneumatic tools, specifically designed to operate in extreme working environments.



See more inside!

ORBITAL SANDERS

6" Dual Action Sander

- Velcro Pad
- Free Speed: 10,000 RPM
Orbit Dia.: 7 mm
Weight: 1.82 kg



SI3100

\$242.00

Mini Pistol Grip Dual Action Sander

- Velcro Pad
- Length: 135 mm
Orbit Dia.: 3 mm
Free Speed: 15,000 RPM
Weight: 0.52 kg



SI2110

\$225.00

3" Mini Orbital

- Velcro Pad
- Free Speed: 12,000 RPM
Orbit Dia.: 3 mm
Weight: 0.54 kg



SI3102

\$352.00

**ULTRA
COMPACT**

6" Dual Action Dust Free

- Velcro Pad
- Free Speed: 10,000 RPM
Orbit Dia.: 5 mm
Weight: 1.29 kg



SI3111-6M

\$535.00

6" Dual Action Sander

- Velcro Pad
- Free Speed: 10,000 RPM
Orbit Dia.: 5 mm
Weight: 0.94 kg



SI3101-6

\$439.00



12 MONTH FACTORY WARRANTY

IMPACT WRENCHES



3/8" Butterfly Wrench
Max Torque: 66 Ft/lbs
Bolt Cap: 10 MM
Weight: 0.94 Kg
Length: 158 MM

SI1305
\$249.00



1/2" Impact Wrench
Max Torque: 627 Ft/lbs
Bolt Cap: 20 MM
Weight: 1.9 Kg
Length: 175 MM

Also available with
2" anvil (SI1492A).
Call for pricing.

SI1490A
\$385.00

**1" H-Duty In-line Grip
Impact Wrench**
Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Weight: 10.6 Kg
Length: 350 MM

SI1870
\$1,225.00



**3/8" Impact
Wrench**
Max Torque: 258 Ft/lbs
Bolt Cap: 16 MM
Weight: 1.03 Kg
Length: 148 MM

SI1605
\$330.00



3/4" Impact Wrench
Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Weight: 3.25 Kg
Length: 218 MM

Also available with
6" anvil (SI1556).
Call for pricing.

SI1550
\$889.00

**1" H-Duty
Impact Wrench**
Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Weight: 10.9 Kg
Length: 285 MM

SI1860
\$1,225.00



Also available with 6" anvil (SI1876) or
8" anvil (SI1878). Call for pricing.

Also available with 6" anvil (SI1860) or
8" anvil (SI1880). Call for pricing.

**1-1/2" H-Duty In-line
Grip Impact Wrench**
Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Weight: 18 Kg
Length: 510 MM

SI1900
\$2,350.00



DIE GRINDERS



1/4" Small Die Grinder
Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

SI2002
\$195.00



1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

SI2012
\$199.00

**1/4" Extended
Die Grinder**
Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg



SI2022S
\$369.00



1/4" H-duty Die Grinder
Free Speed: 20,000 RPM
Length: 162 MM
Weight: 0.56 Kg

**HEAVY
DUTY**

SI2005HD
\$325.00



1/4" Medium Die Grinder
Free Speed: 5,500 RPM
Length: 217 MM
Weight: 0.91 Kg

SI2015A
\$275.00

DRILLS



3/8" Straight Drill
Chuck Size: 10 MM
Length: 231 MM
Free Speed: 6,000 RPM
Weight: 1.06 Kg

SI2015AD
\$310.00

**3/8" Angle Drill
Reversible**
Chuck Size: 10 MM
Length: 202 MM
Free Speed: 1,200 RPM
Weight: 0.94 Kg

SI5355
\$359.00



**Drill 1/2 Capacity
Keyless Reversible**
Chuck Size: 13 MM
Length: 235 MM
Free Speed: 600 RPM
Weight: 1.41 Kg

**Double reduction
gear box delivers
exceptional power.**

REVERSIBLE

SI5405-6
\$439.00



**3/8" Geared Variable
Speed Keyed Drill**
Chuck Size: 10 MM
Length: 115 MM
Free Speed: 2,400 RPM
Weight: 0.60 Kg

SI5501
\$239.00



**3/8" Super Light
Reversible Drill**
Chuck Size: 10 MM
Length: 115 MM
Free Speed: 1,700 RPM
Weight: 0.60 Kg

SI5506
\$255.00



ANGLE GRINDERS



4" Angle Grinder
Spindle Size: M10 x 1.5
Length: 191 MM
Free Speed: 13,000 RPM
Weight: 1.04 Kg

SI2501L
\$465.00



5" Angle Grinder
Spindle Size: M14 x 2
Length: 230 MM
Free Speed: 12,000 RPM
Weight: 1.65 Kg

SI2515LA
\$465.00



4" Angle Grinder
Spindle Size: M10 x 1.5
Length: 223 MM
Free Speed: 12,700 RPM
Weight: 1.82 Kg

SI2500L
\$435.00



7" Angle Grinder
Length: 337 MM
Free Speed: 7,500 RPM
Weight: 3.24 Kg

SI2600L
\$645.00

SCREWDRIVERS

**All screwdrivers feature
forward & reverse.**

1/4" Screwdriver
Length: 176 MM
Bolt Cap: 5/16 MM
Max Torque: 14.80 Ft/lbs
Free Speed: 700 RPM
Weight: 0.85 Kg

SI1170
\$365.00



1/4" Screwdriver
Length: 229 MM
Bolt Cap: 5/16 MM
Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Weight: 1.35 Kg

SI1166-8A
\$499.00



1/4" Straight Screwdriver
Length: 247 MM
Bolt Cap: 1/4 MM
Max Torque: 3.70 Ft/lbs
Free Speed: 1,600 RPM
Weight: 1.12 Kg

SI1161
\$389.00



12 MONTH FACTORY WARRANTY

SHINANO

INDUSTRIAL TOOLS

Introducing a new range of specialized pneumatic tools specifically designed to operate in extreme working environments. The new industrial range utilizes high spec lubricants and high precision bearings & gears. This combination offers, lower noise levels, less vibration and superior performance at high speeds.

Industrial Die Grinders

The Shinano Industrial "6L" & "6LL" series Die Grinders deliver significantly reduced noise levels compared to conventional die grinders. These Die Grinders also feature a High Spec Collet, which utilizes its entire length to grip the burr shank, which in turn reduces "centre run-out" vibration. This extends the service life of the burr and is particularly useful when using extended or oversize burrs.

Industrial Angle Grinders

Shinano Industrial Angle Grinders feature a Low Profile gearbox that increases the operators view of the work area. The 2", 4", 5" & 7" Angle Grinders feature a Spindle lock button for quick and easy disc replacement. Speed governed motors deliver both higher torque levels and optimal disc RPM for increased grinding performance.

Industrial Mini Die Grinder

- High Spec 1/4" collet ideal for large diameter or extended burrs
- Polymer body cover for increased vibration absorption
- 50 cm Silencer Hose and 1.35 m extended air line for reduced noise levels.

Collet/Spindle Size: 1/4"
Free Speed: 28,000 RPM
Length: 150 mm
Weight: 0.38 kg
Output: 180 Watts
Av Air Cons.: 2.5 CFM

SI-SG20E-6L
\$297.00



Industrial Extended Mini Die Grinder

- High Spec 1/4" collet ideal for large diameter or extended burrs
- Polymer body cover for increased vibration absorption
- 50 cm Silencer Hose and 1.35 m extended air line for reduced noise levels.

Collet/Spindle Size: 1/4"
Free Speed: 28,000 RPM
Length: 284 mm
Weight: 0.68 kg
Output: 180 Watts
Av Air Cons.: 2.5 CFM

SI-SG20E-6LL
\$389.00



Industrial Angle Die Grinders also available (SI-AG20E-6L & SI-AG2-C2P). Call for pricing.

Industrial Die Grinder

- High Spec 1/4" collet ideal for large diameter or extended burrs
- Designed for heavy duty applications
- Oversized motor for higher power
- 50 cm Silencer Hose and 1.35 m extended air line for reduced noise levels.
- Lever throttle with safety lock

Collet/Spindle Size: 1/4"
Free Speed: 25,000 RPM
Length: 187 mm
Weight: 0.71 kg
Output: 650 Watts
Av Air Cons.: 4.9 CFM

SI-SG60E-6L
\$319.00



Industrial Extended Die Grinder

- High Spec 1/4" collet ideal for large diameter or extended burrs
- Designed for heavy duty deep hole applications
- Oversized motor for higher power
- 50 cm Silencer Hose and 1.35 m extended air line for reduced noise levels.
- Lever throttle with safety lock

Collet/Spindle Size: 1/4"
Free Speed: 25,000 RPM
Length: 322 mm
Weight: 1.19 kg
Output: 650 Watts
Av Air Cons.: 4.9 CFM

SI-SG60E-6LL
\$449.00



Industrial Straight Die Grinder

- Front exhaust port to clear swarf from work area
- Designed for heavy duty applications
- Oversized motor for higher power

Collet/Spindle Size: 1/4"
Free Speed: 14,000 RPM
Length: 346 mm
Weight: 1.53 kg
Output: 520 Watts
Av Air Cons.: 2.2 CFM

FRONT EXHAUST

SI-SG3-CL
\$599.00



Industrial Edge Cutter

The Shinano carbide tipped edge cutter is a superior edge finishing solution when compared to conventional edge grinding methods. It can quickly and easily machine consistent beveled or radiused edges that meet and exceed the IMO's PSPC regulations for surface preparation and is suitable for use on aluminium, structural grade steel and most types of stainless steel.

- Carbide tipped router ideal for machining PSPC compliant beveled or radiused edges
- 32 mm guide roller for easy and precise operation
- Replaceable 150 mm Base Plate
- Side handle exhaust
- Suited to welding preparation or general edge finishing
- Each of the three carbide tips feature 8 cutting edges, offering long service life
- 3 mm beveled or radius inserts are available



SI-4010L
\$1,175.00

Free Speed: 10,000 RPM
Min. Corner Radius: 17 mm
Max. Depth: 10 mm
Length: 250 mm
Weight: 3.36 kg
Output: 900 Watts
Av Air Cons.: 5.7 CFM

Industrial 2" Angle Grinder

- Spindle lock button for easy grinding disc replacement
- Slimline gearbox for increased user visibility
- Uses 2" Abrasive Pads and Grinding Discs
- Includes three 50 mm Abrasive Pads, Backing Pad and Grinding Disc

Disc Size: 50 mm
Spindle Size: 9.5 x 1.4" 28 UNF
Free Speed: 15,000 RPM
Length: 170 mm
Weight: 0.64 kg
Output: 240 Watts
Av Air Cons.: 3.1 CFM

SI-AG2-U2P
\$469.00



Industrial 4" Angle Grinder

- 360 degree adjustable silencer
- Spindle lock button for easy grinding disc replacement
- High quality nickel-chromium molybdenum steel gears for outstanding service life
- Slimline gearbox for increased user visibility
- Speed governed for optimal disc RPM

Disc Size: 100 mm
Spindle Size: 5/8" x M8/1.25 mm
Free Speed: 13,500 RPM
Length: 276 mm
Weight: 1.89 kg
Output: 600 Watts
Av Air Cons.: 3.2 CFM

SI-AG4-A2L
\$699.00



Industrial 5" Angle Grinder

- 360 degree adjustable silencer
- Spindle lock button for easy grinding disc replacement
- High quality nickel-chromium molybdenum steel gears for outstanding service life
- Speed governed for optimal disc RPM

Disc Size: 125 mm
Spindle Size: 22 x M14 2 mm
Free Speed: 12,000 RPM
Length: 285 mm
Weight: 2.08 kg
Output: 800 Watts
Av Air Cons.: 5.2 CFM

SI-AG5-E3L
\$749.00



Industrial 7" Angle Grinder

- 360 degree adjustable silencer
- Spindle lock button for easy grinding disc replacement
- High quality nickel-chromium molybdenum steel gears for outstanding service life
- Slimline gearbox for increased user visibility
- Speed governed for optimal disc RPM

Disc Size: 180 mm
Spindle Size: 22 x 5/8" 11 UNC
Free Speed: 7,600 RPM
Length: 312 mm
Weight: 3.3 kg
Output: 1000 Watts
Av Air Cons.: 3.1 CFM

SI-AG7-E5L
\$849.00



12 MONTH FACTORY WARRANTY



SHINANO

Quality Japanese Air Tools

Distributed by:

OCT 2015 - FEB 2016

2015 FACTORY SPECIALS!

ALL PRICES INCLUDE GST

ROTARY SANDERS

50 MM MICRO DISC SANDER
Includes backing pad & abrasives
Free Speed: 17,000 RPM
Length: 144 mm
Nett Weight: 0.49 kg

SI2201
\$195.00



4" DISC SANDER
C/W 3" abrasive pads, backing pads and adapter
Free Speed: 18,000 RPM
Length: 167 mm
Weight: 0.984 kg

SI2210R
\$210.00



5" Angle Head Disc Sander
Length: 285 mm
Free Speed: 5,500 RPM
Weight: 1.50 kg

SI2026S
\$410.00



7" H-Duty Angle Head Disc Sander
Length: 358 mm
Free Speed: 4,500 RPM
Weight: 2.13 kg

SI2351
\$418.00



7" Heavy Duty Angle Polisher
Length: 358 mm
Free Speed: 2,300 RPM
Weight: 2.13 kg

SI2451
\$418.00



5" Wet Sander
Spindle Size: M14 x 2
Length: 230 mm
Free Speed: 5,500 RPM
Weight: 1.32 kg
7.5 m Water Hose
1.5 m Air Hose

Variable Speed & Water Flow Controls

SI2322WRLE
\$695.00



HIGH SPEED PREP KIT

SI2201KIT3
\$439.00

High Speed Sanding Kit

Includes:
Micro Disc Sander (SI2201)
Free Speed: 17,000 RPM
Length: 144 mm
Nett Weight: 0.49 kg
1 x 50 mm quick-lock backing pad
1 x 75 mm quick-lock backing pad
5 x 50 mm 36, 60 & 80 Grit Discs
5 x 75 mm 36 & 80 Grit Discs
2 x 50 mm 40, 60, 80 & 120 Grit Flap Discs
2 x 75 mm 40, 60 & 80 Grit Flap Discs
2 x 50 mm Clean & Strip Discs
2 x 75 mm Clean & Strip Discs

SPARE ABRASIVES SOLD IN PACKS.



50 MM BACKING PAD
To attach abrasive pads to tool.

GPA1523K
\$15.00



75mm BACKING PAD
To attach abrasive pads to tool.

GPA1524K
\$19.00



50 mm Q-Change Felt Polishing Pad
To attach each to 50 mm backing pad.

GPA1525
\$8.00 EA



75 mm Q-Change Felt Polishing Pad
To attach each to 75 mm backing pad.

GPA1575
\$12.00 EA



CUTTING TOOLS

Multifunction Mini Air Saw

Stroke Length: 10 mm
Free Speed: 10,500 RPM
Length: 148 mm
Weight: 0.52 kg



SI4740
\$352.00

Air Nibbler
Length: 175 mm
Free Speed: 2,600 SPM
Weight: 1.00 kg



SI4600
\$365.00

3" Cut Off Grinder

Length: 196 mm
Free Speed: 20,000 RPM
Weight: 1.00 kg



SI2033
\$192.00

Laminate Trimmer

1/4" collet size
Length: 177 mm
Free Speed: 22,000 RPM
Weight: 0.91 kg



SI2018A
\$310.00

HAMMERING TOOLS

10.2 mm Pistol Grip Air Hammer

Length: 208 mm
Impact Rate: 2,600 BPM
Weight: 1.60 kg



SI4120A
\$215.00

Spring Retainer
Suits most hammers.

GPA70
\$6.00



Shinano Scraper Chisel



SI805
\$28.00

Shinano Paint Scraper Chisel



SI823
\$55.00

NEEDLE SCALERS

Straight Grip Needle Scaler

Length: 333 mm
Stroke Length: 4.5 mm
Impact Rate: 3,500 BPM
Weight: 2.06 kg



SI4150
\$499.00

Pistol Grip Needle Scaler

Length: 355 mm
Stroke Length: 4.5 mm
Impact Rate: 3,300 BPM
Weight: 2.19 kg



SI4160
\$525.00

